## **LISTING OF CLAIMS**

1. (Currently Amended) Eyewear for use both in sports and casual activities, comprising:

a frame shaped to fit a wearer's face having an inner surface, an outer surface, a lens mounting surface for mounting a lens means for protecting a wearer's eyes, at least one lens mounted on said lens mounting surface, a nose bridge for supporting same frame on said wearer's face, a temple bracket on each side of the frame for attaching a means for supporting the frame on the wearer's head; and

a removable sealing member having a front surface formed to closely engage the inner surface of said frame, a rear surface, one or more ventilation openings, one of more fasteners for removably attaching the front surface of the removable sealing member to the inner surface of the frame, and a gasket covering the one or more ventilation openings and the rear surface of the removable sealing member for engaging a wearer's skin around the eyes.

- 2. (Original) The eyewear of claim 1 said gasket comprises air permeable foam.
- 3. (Original) The eyewear of claim 2 wherein said foam gasket is a wraparound foam gasket.
  - 4-6 (Canceled)
- 7. (Currently Amended) The eyewear of claim 1 wherein the lens mounting surface defines two apertures, one for each eye of a wearer, <u>eachwach</u> of which is covered by a lens.

- 8. (Original) The eyewear of claim 1 wherein the lens mounting surface defines one aperture for both eyes of a wearer which is covered by a single lens.
- 9. (Original) The eyewear of claim 2 wherein said removable sealing member includes one or more ventilation openings along a periphery, said ventilation openings covered by said foam gasket to prevent the ingress of particulate matter.
- 10. (Original) The eyewear of claim 1 wherein said means for supporting the frame to the head of the wearer comprises a temple bar hingedly mounted to the rear surface of each temple bracket, said temple bar shaped to fit a user's head in a region above and behind a user's ears.
- 11. (Original) The eyewear of claim 1 wherein said means for supporting the frame to the head of the wearer comprises an elastic strap having a first and a second end, said first end removably mounted to a first of said temple brackets, and said second end removably mounted to a second of said temple brackets.
  - 12 20 (Canceled)
- 21. (Original) Eyewear for use in sports and casual activities, comprising:

  a frame having an inner surface, an outer surface and at least one lens mounted therein;

  and,
- a removable sealing member having a front surface formed to closely engage the inner surface of said frame, a rear surface, and one or more fasteners for removably attaching the

removable sealing member to the frame, wherein said sealing member comprises a gasket on at least a portion of said rear surface for engaging a wearer's skin.

- 22. (Original) The eyewear of claim 21, wherein said gasket comprises thin silicone membrane.
- 23. (Original) The eyewear of claim 21, wherein said gasket comprises open cell air permeable foam.
- 24. (Original) The eyewear of claim 21, wherein said gasket comprises closed cell non-air permeable foam.
- 25. (Original) The eyewear of claim 21, wherein said gasket further comprises a fleece covering.
- 26. (Original) The eyewear of claim 21, wherein said gasket comprises a laminate of open cell foam, closed cell foam and a fleece covering.
- 27. (Original) The eyewear of claim 21, wherein said gasket comprises a flexible semi-rigid member.
- 28. (Original) The eyewear of claim 21, wherein said gasket comprises a screen material.
  - 29 31 (Canceled)
- 32. (Original) The eyewear of claim 21, wherein said removable sealing member comprises one or more ventilation openings therein.

Application Serial No. 10/691,771 Response dated September 13, 2004 Response to Office Action of May 11, 2004

- 33. (Original) The eyewear of claim 21, wherein the lens mounting surface defines two apertures, one for each eye of a wearer, each of which is covered by a lens.
- 34. (Original) The eyewear of claim 21, wherein the lens mounting surface defines one aperture for both eyes of a wearer which is covered by a single lens.
- fasteners for removably attaching said sealing member to said frame comprises at least one member at both ends of said sealing member and at least one member proximate the nose bridge portion of said sealing member.
  - 36. (Original) Eyewear for use both in sports and in casual activities, comprising:

a frame shaped to fit a wearer's face, said frame having an inner surface, an outer surface, a pair of orbital openings for surrounding the eyes of a wearer, a nose bridge connecting said pair of orbital openings, a lens mounting surface mounting a lens within each orbital opening, a temple bracket on each side of the frame for attaching a means for supporting the frame on the wearer's head; and,

a removable sealing member having a pair of orbital openings connected by a nose bridge, a front surface formed to closely engage the inner surface of said frame, a rear surface, attachment means for removably attaching the removable sealing member to the frame, and a gasket covering at least a portion of the rear surface of the removable sealing member for engaging a wearer's skin.

Application Serial No. 10/691,771 Response dated September 13, 2004 Response to Office Action of May 11, 2004

37. (Original) Eyewear comprising:

a frame constructed and adapted to maintain a lens therein; and,

a removable sealing member constructed and adapted to be removably attached the frame, the sealing member having a gasket covering at least a portion of a rear surface thereof for engaging a wearer's skin proximate the eyes.